Vehicles D6 / Tynlk Corporation CSR U

UT-38/130 Main Battle Repulsortank

The Commonwealth soldier of the middle years during the Commonwealth Sector War had much to be proud of. Imperial forces had been driven back in a two-year-long retreat that was constantly under pressure from Commowealth tank units, mainly equipped with UT-38/125s.

A large operation to try and entrap an immense Imperial tank force in the northern sector of the planet Drakos required a special repulsortank to spearhead the operation. By the latter stages of the war, the Empire began to equip its armored forces with the fast and well-armed Lynx tanks and the superlative, unmatched Lion repulsortanks. Commonwealth forces needed to stay on top of the Empire, and a new UT-38 design was sent to the drawing boards.

The Tyn'lk Corporation once again produced a runaway success in creating the UT-38/130. Incorporating a new metal alloy that was lighter than any other at the time, yet still as durable as standard steel plating, the UT-38/130 was hoped to be produced in large numbers by the Commonwealth High Command.

The UT-38/130 is equipped with a 130mm cannon, a slightly larger calibre gun than that of the Empire's Lynx repulsortank. A slight upgrade in armor from the UT-38/125 included the addition of armor skirts, or plates of steel bolted onto the sides of the tank to minimze the effects of hollow- and shaped-charge weapons. The UT-38/130 is also fitted with a concussion grenade launcher, a weapon that allows the tank to overrun enemy infantry positions without having to use the main gun's expensive ammunition.

Unfortunately for the Commonwealth Army, the Empire managed to capture a vital Tyn'IK production facility on Drakos before the UT-38/130 was able to be produced in mass numbers. The war ended a few years afterward when the Empire captured the capital city of Drakosia, leaving behind a long line of dead soldiers and destroyed vehicles, and a legacy of infamy of the UT-38 tank series.

Model: Tyn'lk Corporation CSR UT-38/130 Main Battle Repulsortank

Type: Upgraded main battle repulsortank

Scale: Speeder

Length: 11 meters

Skill: Repulsorlift operation: UT-38/130

Crew: 2, gunners: 2 Crew Skill: Varies

Cargo Capacity: 90 kilograms

Cover: Full

Altitude Range: Ground - 3.25 meters

Cost: Not available for sale Maneuverability: 1D+2 Move: 63; 180 km/h

Body Strength:

Front: 5D+2

Left/Right: 5D+1

Rear: 4D+2

Top/Beneath: 4D

Sensors:

Passive: 20m/0D Search: 65m/1D+2

Weapons:

130mm Rifled Massdriver Cannon

Fire Arc: Turret

Crew: 2

Scale: Walker

Skill: Vehicle firearms

Ammo: 47 rounds Fire Control: 1D+1

Range: 27-435/1.75/3.5 km

Damage: 7D+1

Concussion Grenade Launcher

Fire Arc: Front

Crew: 1

Skill: Missile weapons

Fire Control: 1D

Range: 1-50/100/200

Damage: 3D

Heavy Repeating Blaster

Fire Arc: Front/Left/Right

Crew: 1

Scale: Character

Skill: Vehicle blasters

Ammo: 500

Fire Control: 1D+2

Range: 5-125/250/500 m

Damage: 8D

2 Light Repeating Blasters

Fire Arc: Front (1); Rear (1)

Crew: 2 (1 per repeating blaster)

Scale: Character

Skill: Vehicle blasters

Ammo: 350 (per repeating blaster)

Fire Control: 1D+1

Range: 2-60/200/400 m

Damage: 6D

Page designed in Notepad, Logo`s done in Personal Paint on the Commodore Amiga
All text and stats by Craig Marx,OverLord, HTML and logos done by FreddyB
Images stolen from an unknown website at some remote time in the past.
Any complaints, writs for copyright abuse, etc should be addressed to the Webmaster FreddyB.