

Name: Kuat Drive Yards Revenge-Class Heavy Carrier

Type: Star Destroyer

Scale: Capital

Length: 4,000 Meters

Skill: Capital Ship Piloting: Star Destroyer

Crew: 81,245, skeleton 15000/ +20

Passengers/Troops: 45,000

Crew Skill: Capital Ship Piloting 5D+1, Capital Ship Gunnery 4D+2, Capital Ship Shields 4D+1

Consumables: 18 Years

Cargo Capacity: 103,000 Tons

Hyperdrive Multiplier: X1

Hyperdrive Backup: X8

Nav Computer: Yes

Space: 5

Maneuverability: 0D

Hull: 7D

Shields: 4D

Sensors:

Passive: 50/1D

Scan: 100/3D

Search: 200/4D

Focus: 6/4D+2

Fighters: 480

Transports: 30

Weapons:

45 Medium Laser Cannon Turrets

Scale: StarFighter

Fire Arc: 17 Front/Left, 17 Front/Right, 11 Back

Fire Control: 2D

Space: 1-5/15/30

Atmosphere Range: 100-500m/1.5km/3km

Damage: 4D


90 TurboLaser Batteries

Scale: Capital

Fire Arc: 35 Front/Left, 35 Front/Right, 20 Back

Fire Control: 3D

Space: 3-15/36/75



Atmosphere Range: 6-30/36/150km

Damage: 5D

70 Ion Cannons

Scale: Capital

Fire Arc: 25 Front/Left, 250/Front/Right, 10 Back

Fire Control: 2D+1

Space: 1-10/25/50

Atmosphere Range: 2-20/50/100km

Damage: 4D

30 Tractor beam projectors

Scale: Capital

Fire Arc: 10 Front, 8 Left, 8 Right, 4 Back

Fire Control: 3D

Space: 1-5/15/30

Atmosphere Range: 2-10/30/60km

Damage: 6D

Description: The Revenge Class Heavy Carrier is a command vessel which is an evolution of the Venator Class Destroyer used in the early days of the Galactic Empire. While a power vessel in its own right, the Revenge Class is usually the centre of a fleet of Cruisers and Destroyers, used to project the Empires might where ever trouble might flare up, with masses of fighters, walkers and troops, the Revenge Class is capable of dealing with any problem which might arise. Like the earlier Venator, the Revenge class has two command towers, one used for commanding the vessel, the other for commanding its fighter squadrons and other allied vessels. However, unlike the Venator, these are not both on the upper hull of the vessel, the normal command tower is in the position expected on an imperial vessel, while the fleet operations command tower is mounted on the lower hull. The vessels fighter and transport bays are mounted around the edge of the vessel, with the main launch bay being mounted between the twin forward prongs of the ships hull, allowing vessels launching and landing (as well as the bay itself) to come under the protection of the many weapons mounted on these prongs.

---

Page designed in Notepad, Logo`s done in Personal Paint on the Commodore Amiga

All text, HTML and logos done by FreddyB, Image is from I.M.P.S The Relentless

Any complaints, writs for copyright abuse, etc should be addressed to the Webmaster [FreddyB](#).